

Inkjecta



Flite Nano Manual



www.inkjecta.com

Thank you for purchasing your new Inkjecta Flite Nano!

Years of work and development has gone into this machine and we hope you produce some truly awesome art with it.





Follow us on Facebook and Instagram @inkjecta and tag #inkjecta in your posts and we'll check out your work.

Much Love,

Byron, Chris, and The Inkjecta Team


Setting Up Your Flite Nano

1. Remove cam cover.
2. Attach grip.
3. Lubricate inside of grip where bar enters.
4. Fit cam to motor and tighten screw.
5. Insert bar into grip and cam then tighten screw.
6. Attach cam cover.
7. READY TO USE.



Videos and More Information at www.inkjecta.com

How to Use Torsion Bars



**Each bar has 3 tension settings.
Offering 9 in total.**



Loosen screw and rotate
to adjust tension.
Make sure to secure screw.

Hard = Largest Diameter
Medium = Medium Diameter
Soft = Smallest Diameter



Soft Alignment



Medium Alignment



Hardest Alignment

Videos and More Information at www.inkjecta.com

Other Info & Troubleshooting

- Motor is rated from 4v to 18v·
- The LED Light is polarity sensitive so your RCA cable must be wired correctly for it to work·
 - You can attach a rubber band to the bar, or not, it's up to you·
 - DO NOT OIL/LUBRICATE THE MOTOR OR CAM·
 - Machine is not autoclavable or waterproof. Avoid moisture·
- Flite Nano is compatible with Flite V2 Cams and V2 Combo Flex Bars·
- If you find the motor is running but the bar isn't moving, try tightening the screw in the bronze part of the cam·
- If the motor doesn't seem to be running correctly, be sure to try different RCA cables/peddles/power supplies before contacting us·
- If you have an issue with your machine visit our Support page on our website for repair information·

Videos and More Information at www.inkjecta.com

Warranty Information

Inkjecta machines are warranted to be free from factory defects for 12 months from the date of purchase from an authorised retailer.

PROOF OF PURCHASE IS REQUIRED TO CLAIM WARRANTY

If you find a fault with your product covered under these warranty terms please contact us via our Support page on our website and download the 'Repair Request Form' or email support@inkjecta.com

We reserve the right to repair components using new or refurbished parts, or if unable to repair, replace the item, up to our own discretion. Repair work performed by us does not reset your warranty period.

After a repair is completed, your warranty will continue from date of purchase or will be 90 days, whichever is longer.

EXCLUSIONS

This warranty *only* covers defects/faults from manufacture/workmanship that are discovered while using the product as recommended by us. Warranty *does not* cover damage from misuse, abuse, unauthorised repairs or modification, improper storage, liquid damage, and natural disasters.

Inkjecta is hand built and manufactured in





Thank You 🙌